



PAINTING GUIDE

COBBLESTONE FLOORS +
SEAWALLS AND ARCHES



STEP 1




Base coat the top of the cobblestone floor section with an opaque layer of **Black**.

STEP 2



+




+




Mix **Base Grey** with a touch of **Water Bubbles Blue** and **Black** and dry brush it over cobblestone floor top's texture.

STEP 3




+



Dry brush centers of cobblestone squares with a mix of **Stucco** and **Olive Dry Brush** in a 50/50 mix.



STEP 4




+



Apply a light dry brush of the **Stucco** and **Olive Dry Brush** mixture to the cobblestone floor tops.

STEP 5



Dry brush sides of cobblestone floors with **Stone Edge Dry Brush**.

SEAWALLS AND ARCHES

Disclaimer: This section does not contain images of each step painted, but the brush points to the areas to paint in each step.

STEP 1



Apply steps one through five for Cobblestone floors only to the cobblestone patterned areas at the top of your seawall ledges and the tops of your arches.

STEP 2



Base coat the arch stones of your pieces in **Earth Stone**.

EARTH STONE
(GT002-ES)

STEP 3



Dry brush all areas without the cobblestone pattern in **Stone Edge Dry Brush**.

STONE EDGE
DRY BRUSH
(GT002-SE)

STEP 4



Using a light touch, apply an opaque layer of **Shallow Water Seaweed Green** to the moss sections.

SHALLOW WATER
SEAWEED GREEN
(GT002-SG)

STEP 5



MOSS GREEN
(GT002-MG)

Lightly dry brush over the moss patches in **Moss Green**.



STEP 6



MOSS GREEN
(GT002-MG)

For a weathered effect, apply a dry brush of **Moss Green** along the bottom of your pieces where years of water and sediment would have stained the wall.

