




# PAINTING GUIDE

## PARQUET WOOD FLOORS


**Disclaimer:** We use UV printing, rather than hand painting, to decorate our Parquet Floors. Therefore, this guide will not be an exact match for our factory-finished pieces. However, Erin, our Art Director and Painting Co-manager created a comparable and moderately easy-to-replicate guide for the hobbyists in our Dwarven Army who want to paint their own.



### STEP 1




+



Paint the outer border design of the parquet floor with a 2:1 ratio mix of **Black** and **Base Wood**.


### STEP 2



Paint the four corner squares of the first tile and the inner diamond in **Base Wood**. The next tile, paint the central cross section in **Base Wood**. Alternate this pattern with each tile as indicated by the image shown.

Once inner tiles are completed, apply a heavier dry brush of **Base Wood** to the outer border that was painted in Step 1 and the edges of the floor outside of the border.


### STEP 3



On the inner tiles, apply a heavy dry brush of **Olive Dry Brush** in the opposite pattern used for step 3. Also heavily dry brush the four triangles within the outer border.




## STEP 4




Heavily dry brush the central rosettes of each tile with **Stone Edge Dry Brush**.

## STEP 5




Apply **Olive Dry Brush** and blend it into the previously painted **Stone Edge Dry Brush** on the areas of rosettes indicated on the image shown.

## STEP 6




+




Mix **Stucco** and **Base Wood** in a 50/50 mix. Apply this heavily in the center of the tiled rosettes and then apply a light dry brush on the outer rim and sides.

# STEP 7



+



Make a wash with **Black** and **Base Wood** in a 2:1 ratio and add water. Apply this to the edges of the tiled rosettes, inner squares, and four triangles along the edges of the floor to make the shapes clean and add dimension to the design.

