


STARFORCED
PARTS LOG

Table of Contents

Core Components	p.04
Catwalks and Elevation	p.10
Scatter	p.14
Table Coverage	p.18
Special Issue	p.20
CONFIDENTIAL	p.21

As directed by Dwarven Forge [DF], Starforged Command Craft [SFCC], and the Archivist's Records of Associated Terms [ARAT] the following Parts Log encompasses the physical specifications and intended use of the premiere Starforged mission to aide in assembly, and if necessary, disassembly, of any Starforged issue base and/or bunker.



Core Components

- WALLS: SF-901-905
- FLOORS: FL-901-903
- DOORS: DR-901
- TRAPDOOR INSERTS: TR-901-903
- TEXTURE PATCHES: TT-904-905
- BISCUIT PEG: GA-801

Alpha Straight Wall *

SF-901



A. Int.



B. Ext.

SPECS: 50.8mm x 50.8mm x 50.8mm

FEATURES:



BISCUIT
COMPATIBLE

Alpha Corner *

SF-902



A. Int.



B. Ext.

SPECS: 50.8mm x 50.8mm x 50.8mm

FEATURES:



BISCUIT
COMPATIBLE

Alpha Accessory Wall *

SF-903



A. Int.



B. Ext.

SPECS: 50.8mm x 50.8mm x 50.8mm


FEATURES:



BISCUIT
COMPATIBLE

Alpha Diagonal Wall *

SF-904



A. Int.



B. Ext.

SPECS: 69.85mm x 50.8mm x 50.8mm

FEATURES:



BISCUIT
COMPATIBLE

* Embedded anchor magnet at bottom of piece adheres to metal objects (like our Terrain Trays)

Alpha Inside Corner

SF-905

A. Upright

B. Inverted

SPECS: 19.05mm x 19.05mm x 38.1mm

2x2 Alpha Floor *

FL-901

A. Int.

B. Ext.

SPECS: 50.8mm x 50.8mm x 12.7mm

FEATURES:

BISCUIT COMPATIBLE

Freestanding Alpha Door Wall

DR-901

A. Int.

B. Ext.

SPECS: 50.8mm x 19.05mm x 38.1mm

FEATURES:

DOOR INS COMPATIBLE

Blast Door - Insert Panel

TR-901

A. Alone

B. with Freestanding Alpha Door Wall

SPECS: 37.7mm x 37.7mm x 3.175mm

FEATURES3

DOOR INSERT

FLOOR INSERT

1x2 Alpha Floor *

FL-902

A. Int.

B. Ext.

SPECS: 50.8mm x 25.4mm x 12.7mm

FEATURES:

BISCUIT COMPATIBLE

2x2 Alpha Trapdoor Floor

FL-903

A. Int.

B. Ext.

SPECS: 50.8mm x 50.8mm x 12.7mm

FEATURES:

BISCUIT COMPATIBLE

FLOOR INS COMPATIBLE

Exposed Cables - Insert Panel

TR-902

A. Alone

B. with Trapdoor Floor

SPECS: 37.7mm x 37.7mm x 3.175mm

FEATURES:

DOOR INSERT

FLOOR INSERT

Hexfield - Insert Panel

TR-903

A. Alone

B. with Freestanding Alpha Door Wall

SPECS: 37.7mm x 37.7mm x 3.175mm

FEATURES:


DOOR INSERT

FLOOR INSERT

* Embedded anchor magnet at bottom of piece adheres to metal objects (like our Terrain Trays)

2x2 Texture Patch - Starfield *


TT-904



SPECS: 50.8mm x 50.8mm x 1mm

2x2 Texture Patch - COLORFUL *

TT-905



SPECS: 50.8mm x 50.8mm x 1mm

Biscuit Peg

GA-801




SPECS: 15mm x 10mm x 3mm

FEATURES:



BISCUIT
INSERT

* Artwork is subject to change in production. Texture patches will be printed on cardboard.



Catwalks + Pipelines and Elevation

CATWALKS: SC-901-907
 BISCUIT INSERTS: FP-902-903
 ELEVATION: EV-901-902

2-in. Catwalk

SC-901



A. Int.



B. Ext.

SPECS: 50.8mm x 25.4mm x 12.7mm

FEATURES:



BISCUIT
COMPATIBLE

4-in. Catwalk

SC-902



A. Int.



B. Ext.

SPECS: 101.6mm x 25.4mm x 12.7mm

FEATURES:



BISCUIT
COMPATIBLE

Corner Catwalk

SC-903



A. Int.



B. Ext.

SPECS: 50.8mm x 50.8mm x 12.7mm

FEATURES:



BISCUIT
COMPATIBLE

1/2-in. Catwalk Extender

SC-904



A. Int.



B. Ext.

SPECS: 25.4mm x 12.7mm x 12.7mm

FEATURES:



BISCUIT
COMPATIBLE

Catwalk Pylon *
SC-905

A. Upright
B. Inverted

SPECS: 50.8mm x 25.4mm x 50.8mm

FEATURES:

BISCUIT
INSERT

Adjustable Catwalk Ramp
SC-906

SPECS: 119.06mm x 21.43mm x 10.72mm

FEATURES:

Pipe End Cap - Biscuit Insert
FP-903

SPECS: 25.4mm x 12.7mm x 3mm

FEATURES:

BISCUIT
INSERT

Short Metal Stairs
EV-901

A. Upright
B. Inverted

SPECS: 25.4mm x 12.7mm x 12.7mm

FEATURES:

BISCUIT
COMPATIBLE

Pipe Terminus
SC-907

A. Upright
B. Inverted

SPECS: 25.4mm x 25.4mm x 38.1mm

FEATURES:

BISCUIT
COMPATIBLE

Ramp Cleat - Biscuit Insert
FP-902

A. Alone
B. with Adjustable Ramp

SPECS: 24.4mm x 12.7mm x 12.7mm

FEATURES:

BISCUIT
INSERT

Metal Stairs
EV-902

A. Upright
B. Inverted

SPECS: 50.8mm x 25.4mm x 38.1mm


FEATURES:

BISCUIT
COMPATIBLE

* Embedded anchor magnet at bottom of piece adheres to metal objects (like our Terrain Trays)

12

13



Scatter

FREESTANDING ACCESSORIES: AC-901-904, AC-906-908

BISCUIT INSERTS: FP-901, FP-904

POLE ACCESSORIES: PA-901-903

1x1 Multi-Module

AC-901



A. Int.



B. Ext.

SPECS: 25.4mm x 25.4mm x 38.1mm



POLE ACCS
COMPATIBLE

Command Console

AC-902



A. Int.



B. Ext.

SPECS: 50.8mm x 25.4mm x 25.4mm

Turret Cone

AC-903



A. Upright



B. Inverted

SPECS: 55.1mm x 50.5mm x 25.6mm

FEATURES:



BISCUIT
COMPATIBLE



POLE ACCS
COMPATIBLE

Tri-barrel Plasma Turret

AC-904



A. Side A



B. Overhead

SPECS: 84mm x 32mm x 36mm



BISCUIT
COMPATIBLE



POLE ACCS
COMPATIBLE

Capsule Bed
AC-906




A. Angle A.


B. Stacked

SPECS: 38.1mm x 25.7mm x 20mm


BISCUIT COMPATIBLE


POLE ACCS COMPATIBLE

2-in. Barricade
AC-907




A. Int.

B. Ext.

SPECS: 50.8mm x 15.88mm x 38.1mm


BISCUIT COMPATIBLE


POLE ACCS COMPATIBLE

Metal Corbel - Biscuit Insert
FP-904




A. Enlarged for detail

B. To scale (with PA-902)

SPECS: 21.1mm x 19.05mm x 12.7mm


BISCUIT INSERT


POLE ACCS COMPATIBLE

Sensor Arm - Pole Accessory
PA-901




A. Enlarged for detail

B. To scale (with PA-902 and SF-903)

SPECS: ~33mm x 18.67mm x 24.7mm


POLE ACCESSORY

Energy Unit
AC-908




A. Upright

B. Inverted

SPECS: 25.4mm (dia) x 19.05mm


BISCUIT COMPATIBLE


POLE ACCS COMPATIBLE

Metal Ladder - Biscuit Insert
FP-901



SPECS: 38.1mm x 15.875mm x 6mm


BISCUIT INSERT

Small Blaster - Pole Accessory
PA-902




A. Enlarged for detail

B. To scale (with PA-902 and SF-903)

SPECS: 28.05mm x 12.7mm x 11.54mm


POLE ACCESSORY

Neutron Antenna - Pole Accessory
PA-903




A. Enlarged for detail

B. To scale (with PA-902 and SF-903)

SPECS: 30.22mm x 11.86mm x 47.75mm


POLE ACCESSORY




Table Coverage


TERRAIN TRAYS: TT-901-903

12x12 Starfield / Scarred Planet *

TT-901



Side A. *



Side B. *


SPECS: 304.8mm x 304.8mm x 1mm
FEATURES:



MAGNET
COMPATIBLE

12x12 Alien Planet / Tech Floor *

TT-902



Side A. *



Side B. *

SPECS: 304.8mm x 304.8mm x 1mm
FEATURES:



MAGNET
COMPATIBLE

6x12 Alien Planet / Tech Floor *

TT-903



Side A. *



Side A. *

SPECS: 304.8mm x 152.4mm x 1mm
FEATURES:



MAGNET
COMPATIBLE

* FPO is For Placeholder Only, all artwork is subject to change in production.
 18

* FPO is For Placeholder Only, all artwork is subject to change in production.
 19




Special Issue

GA-901 CHALLENGE COIN, VALID FOR ONE SOLAR ORBIT

CONFIDENTIAL

OPEN AFTER
PHASE 1
UNLOCK

STRETCH GOALS



Stretch Goals

- DYNAMO TURBINE: AC-905
- WINDOW WALL & INSERTS: SF-906, LY-901 - 905
- LED WALL & LED ACCESSORIES: WN-901, LE-901 - 902, GA-902
- ZENITH HIP DOME: RF-903
- COMMAND COCKPIT: HW-901A - HW-901B

Dynamo Turbine


9-A116



SPECS: 76.2mm x ~38.1mm x ~50.8mm
 FEATURES:
 BISCUIT COMPATIBLE
 POLE ACCS COMPATIBLE

Alpha Window Wall

SF-906



SPECS: 50.8mm x 50.8mm x 50.8mm
 FEATURES:
 BISCUIT COMPATIBLE
 WINDOW INS COMPATIBLE

Starfield Window Pane


LY-901



SPECS: 48mm x 17m
 FEATURES:
 WINDOW INSERT

Holovid Screen Window Pane

LY-902



SPECS: 48mm x 17m
 FEATURES:
 WINDOW INSERT

Planet Exterior Window Pane

LY-903



A. Enlarged for detail



B. To scale (with SF-906)

SPECS: 48mm x 17m

FEATURES:



WINDOW
INSERT

Hexiglass Window Pane

LY-904



A. Enlarged for detail



B. To scale (with SF-906)

SPECS: 48mm x 17m


FEATURES:



WINDOW
INSERT

Freestanding Alpha LED Socket Wall

WN-901



A. Int.



B. Ext.

SPECS: 50.8mm x 25.4mm x 38.1mm

FEATURES:



LED ACCS
COMPATIBLE

Alert Klaxon - LED

LE-901



A. Enlarged & illuminated



B. To scale (with WN-901)

SPECS: 50.8mm x 50.8mm

FEATURES:



LED
ACCESSORY

Red Alert Window Pane

LY-905



A. Enlarged for detail



B. To scale (with SF-906)

SPECS: 48mm x 17m

FEATURES:



WINDOW
INSERT

Holovid Monitor - LED

LE-902



A. Enlarged & illuminated



B. To scale (with WN-901)

SPECS: 50.8mm x 25.4mm x 50.8mm

FEATURES:



LED
ACCESSORY

USB-C Charging Cable

GA-902



SPECS:

FEATURES:



LED
ACCESSORY

Zenith Hip Dome
RF-903



A. Int.

B. Ext.

SPECS: 50.8mm x 50.8mm x 50.8mm

FEATURES:



BISCUIT
INSERT



POLE ACCS
COMPATIBLE

Zenith Hip Dome Assembled
Pole Accessory compatible (via center top)
only when 4 domes are assembled together.

Command Cockpit and Cockpit Windshield

HW-901a + HW-901b



A. Int.

B. Ext.

SPECS: 101.6mm x ~ 88.9 mm x 50.8mm

FEATURES:



BISCUIT
COMPATIBLE



POLE ACCS
COMPATIBLE